

Acme Platform

Overview

CONTROL CENTER

- Targets & Agents
- Vibes
- Sessions
- AI

CATALOG

- Catalogs
- Components
- Templates

AUTOMATION

- Actions
- Decks
- Scheduler
- Calendar

INFRASTRUCTURE

- Sandbox
- Tunnels

INSIGHTS

- Health
- Analytics
- Audit Log

Settings

Overview

Your agentic engineering fleet at a glance

New Session

Getting started · 4 of 6 steps

Active Agents — online
12 / 14 online

Live Sessions —
7

Vibes —
23 projects

AI Runs Today —
148

Fleet Activity

Last 24 hours



Fleet Health

92% healthy

- prod-web-01 online
- staging-api-02 online
- gpu-trainer-01 degraded
- ci-runner-03 offline

Recent Sessions

Session	Agent	Target	Status	Started
payments-api	build · claude-code	prod-web-01	Running	3m
checkout-web	test · gpt-5-codex	staging-api-02	Completed	12m
ml-pipeline	train · gemini-cli	gpu-trainer-01	Running	20m

Quick Actions

New Session



Add Agent

Review Vibes

Create Workflow

Schedule Task

10:09



Search assets, agents, sessions...

VibeControls Overview

Monitor and manage your development environments.

Targets
12
9 connected

Agents
8
6 active

Vibes
14
5 active

Sessions
23
7 running

Active Agents [View all](#)

- claude-code

hostname : prod-web-01 ● linux · x64

>
- gpt-5-codex

hostname : staging-api-02 ● linux · arm64

>

Recent Activity

- Session Running — checkout-web dev server · 2m ago
- Agent Online — gpu-trainer-01 is active · 14m ago
- Session Completed — ml-pipeline train job · 1h ago

Running Sessions

- payments-api · claude-code

Running s-9f8d7c6b5a41

>

Workspace

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Getting Started

Install and configure the VibeControls Agent CLI.

Install

CLI Reference



Install the Agent

Install the agent globally with bun or npm on the machine you want to manage, then run `vibe start`. Bun (or Node ≥ 18 for npm) is the only prerequisite.

[View the full install docs](#)

Curl (Recommended)

Bun

NPM

```
>_ curl -fsSL https://app.vibecontrols.com/install | bash
```



Works on any OS with no package manager required.

Pin a specific agent version (optional)

e.g. 2026.408.1 (leave blank for latest)

Next steps

- 1 Start the agent: `vibe start` — on first run it establishes a Cloudflare tunnel, generates an `agentApiKey`, and waits for the platform.
- 2 Go to **Targets & Agents** → **Add Agent**, pick a target, and paste the tunnel URL and `agentApiKey`.
- 3 Wait for the agent to connect and verify its status in the platform interface.

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Targets Agents Agent Graph

Agents

5 of 6 agents online



+ Add Agent



Agents run terminal sessions on your own machines in running comrnoc bots.

Search agents...



Status



Platform



Tag



dev-laptop-priya

dev-laptop-priya

Active



2m ago



arm64

Tunnel: <https://linhuax.coms/19228/...>



prod-web-01

prod-web-01

Active




2m ago



arm64

Tunnel: <https://linhuax.coms/9223/...>



staging-api-02

staging-api-02

Degraded




2m ago



x86_64

Tunnel: <https://linhuax.coms/9228/...>



gpu-trainer-01

gpu-trainer-01

Active



2m ago



arm64

Tunnel: <https://tanancs.com/938/...>



ci-runner-03

ci-runner-03

Offline




11m ago



x86_64

Tunnel: <https://tanancs.com/814/...>



notifications-svc

notifications-svc

Active



11m ago



x86_64

Tunnel: <https://tanancs.com/218/...>

Acme Platform

- Overview
- CONTROL CENTER
 - Targets & Agents [ACTIVE]
 - Vibes
 - Sessions
 - AI
- CATALOG
 - Catalogs
 - Components
 - Templates
- AUTOMATION
 - Actions
 - Decks
 - Scheduler
 - Calendar
- INFRASTRUCTURE
 - Sandbox
 - Tunnels
- INSIGHTS
 - Health
 - Analytics
 - Audit Log
 - Settings

Targets & Agents

Submit & Connect

Agents

Name
dev-laptop-priya dev-laptop-priya
dev-laptop dev-laptop-priya
dev-laptop dev-laptop-priya

Data Charts



Add New Agent

Connect a running vibe agent to this workspace.

Setup Validate

Agent Install Instructions

npm / bun / curl

vibe start

After running vibe start, copy the printed tunnel URL and API key into the fields above.

Name

dev-laptop-priya

Hint running vibe start, copy this workspace.

Target *

dev-laptop-priya · DIRECT

+ Create a new target

API / Tunnel URL *

https://calm-frost-8821.trycloudflare.com

Agent API Key *

vcak_...

Run vibe key on the agent to get this. Changes on restart

Cancel Submit & Connect

ID	Status	
a8E8A250	Online / success	...
#0BBC10	Degraded / warning	...
#0B0C1a	Offline / error	...

Online Degraded Offline Idle



>_

dev-laptop-priya

dev-laptop-priya.local

Enabled

v1.4.2

Reconnect

Installed6

Available24

UI3

Q

Search plugins...

	claude-code v2.1.0	Enabled	Update available
	gpt-5-codex v0.9.3	Enabled	Degraded
	cursor v1.2.0	Active	Offline
	aider v0.7.1	Disconnected	Idle
	session-tmux v1.0.4		Idle
	ttyd-terminal v1.7.3	Enabled	Error

Targets

4 of 5 targets connected

🔄

+ Add Target

🖥️

A target is a machine your agents can reach.

Q

Search targets...

📦

☰

Status

▼

Type Direct / SSH

▼

Agent

▼

SSH

connected

prod-web-01

habel

✔️ Agent Installed

Test

🖥️ Terminal

Install Agent

⋮

deploy@prod-web-01:22 via dev-laptop-priya

prod

web

Edit / Uninstall / Delete

SSH

connected

staging-api-02

asst

✔️ Agent Installed

Test

🖥️ Terminal

⋮

deploy@staging-api-02:22 via dev-laptop-priya

Edit / Uninstall / Delete

DIRECT

connected

dev-database-03

dev

✔️ Agent Installed

Test

🖥️ Terminal

⋮

192.168.1.100 via dev-laptop-priya

dev

db

Edit / Uninstall / Delete

SSH

connected

edge-cache-04

ush

✔️ Agent Installed

Test

🖥️ Terminal

⋮

edge-admin@10.0.0.1:22 via dev-laptop-priya via proxy

edge

cache

Edit / Uninstall / Delete

SSH

disconnected

legacy-server-05

legacy

✔️ Agent Installed

Test

🖥️ Terminal

Install Agent

⋮

legacy@172.16.50.1:22 via legacy

Workspace

Acme Platform

- Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

⚡ Actions

📅 Decks

🕒 Scheduler

📅 Calendar

INFRASTRUCTURE

📦 Sandbox

🔌 Tunnels

INSIGHTS

💖 Health

📊 Analytics

📄 Audit Log

⚙️ Settings

prod-web-01

SSH · prod-web-01

↑ Share

< Back

i

This is one target where work runs. You can do to their sonecuses and ir hardmore.

📄

Identity

Name

prod-web-01

Type

SSH

Status

• connected

Host

prod-web-01

Port

deploy

Username

deploy

Port

22

Last updated

Jul 5, 2026, 09:14

Labels

prod

web

edge

Tags

Tag-picker...

chip

×

×



Agents on this target (2)

All agents >

✓

ci-runner-03

v1.4.2 · https://calm-frost-8821.trycloudflare.com

Active

🔗

!

prod-web-01-agent

v1.4.1

Degraded

Inbound connections (1)

ssh relay

From dev-laptop-priya · ssh · connected

connected

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Agents

Targets

Agent Graph

Agent Mesh

visualizing and managing the agent-to-agent mesh.

Mesh request

Deploy Agent

System-wide status is visualizing gvo being agent-to-agent mesh.

online/success


warning

offline/error

idle

6 agents, 8 links

Scope: All agents



Active context

AI workbench

Plan / AI

Workbench Bookmarks

Agent: dev-laptop-priya

New Session

Search sessions...

payments-api refactor4m ago

claudeCLItagsdescribts

infra-terraform apply1m ago

claudeCLInancy otips

checkout-web tests22m ago

claudeCLI

payments-api refactorinfra-terraform apply

Manage AI providers

Apply the terraform plan for staging.

Mand inn markdown hott. Apply the terraform plan.

Tool-callRead infra-terraform/main.tf

staging.tfvars

21 22 stagingtfvars {

23 23 terrafor-name = "terrafon"

24 + addition-apply = "adddittant"

25 - deletion-apply = "aletion-stant"

25 26 }

25 27 }

1,284 tokens · claude-sonnet

Governed-action PERMISSION

claude-code wants to run

terraform apply -auto-approve

DenyModifyExecute

>_ VibeControls

Workspace switcher
Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Vibes

5 of 6 vibes active

+ Add Vibe

Refresh vibes

A vibe is a workspace for a piece of work — it ties together the agent that runs your commands, sessions, notes, schedules and audit history in one place.

Search vibes...

grid

Status: All Statuses

Agent: All Agents

Select all visible

2 selected

Activate Selected (2)

Archive Selected

payments-api

Stripe + ledger service

ACTIVE

main /srv/payments-api

Node.js

Postgres

Stripe

Ledger

7 env vars

payment-cluster

notification-worker

Async email & push service

DEGRADED

feat/templates /opt/app/notifier

Go

Redis

12 env vars

notif-service

data-pipeline

ETL for analytics

ARCHIVED

v2.1-archive /analytics/etl-pipelines

Python

Spark

5 env vars

analytics-db

search-index-builder

Build Elasticsearch indices

ACTIVE

hotfix/perf /search/builder-service

Rust

Kafka

10 env vars

search-cluster

admin-dashboard

React UI for internal admin

ERROR

fix/login-flow /ui/admin-portal

React

TypeScript

Node

9 env vars

web-dashboard

inventory-manager

Stock tracking microservice

IDLE

main /opt/app/inventory

Java

Spring

15 env vars

inv-db

CONTROL CENTER

CATALOG

AUTOMATION

INFRASTRUCTURE

INSIGHTS



← Back to Vibes

payments-api

ACTIVE

Stripe + ledger service

AI Chat

Share

New

▼

...

Pause vibe

Archive vibe...

Delete vibe...

Overview

Config

Git

Sessions

Notes

Docs

Scorecard

Catalogs

GraphQL

GitOps

Security

Related

Project context

acme-platform · monorepo

payments-api

ledger-worker

webhooks

Bound agents & targets

Set as default for this Vibe

Status

Status

Host

Target

● claude-code

● online

dev-laptop-priya

Default

staging-api-02

● online

● gpt-5-codex

● online

prod-web-01

● degraded

Environment Variables

Injected into every session started under this vibe

DATABASE_URL = postgres://..acme



NODE_ENV = production



STRIPE_API_KEY = 🔒



SENTRY_DSN = 🔒



LEDGER_QUEUE = redis://ledger





Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Overview

Pipelines

GitOps

Series

Events

About

GitOps

Repo Stats

CI Pipelines

Git UI

acme-eng/payments-api

private

Default branch
main License
MIT

128 stars · 34 forks · 19 watchers [View](#)

Last synced 2 min ago

Status

online

321
stars: branch



Overview



Activity

1,204

commits (recent weeks)

Top contributors

	Priya Nair	342 commits
	Marcus Chen	198 commits
	Dana Alvarez	87 commits

Last push: 18 min ago

Heart Status

15

mail contributors



Pull Requests

7

open

#412	Add idempotency keys to charge endpoint	open
	Marcus Chen · 2d ago	
#409	Refactor ledger reconciliation	Draft
	Priya Nair · 4d ago	
#405	Bump stripe-node to v14	open
	Marcus Chen	

CI Pipelines

Dnfine

#412	Idempotency keys to charge endpoint	open
	Marcus Chen · 1d	
#405	Bump stripe-node to v14	open
	Marcus Chen · 1d	



Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Vibes

Docs

Documentation

Rev #7

Published

Built in 1m 48s

Share

Copy Link

Open Full Screen

Edit

Compile Docs



PAGES



Introduction

Getting Started

Architecture

Ledger model

Webhook flow

API Reference

Runbooks

On-call

Incident response

Changelog

H1 payments-api

Charge capture, ledger reconciliation and webhook fan-out for Acme Platform.

H2 Architecture

Charge capture, ledger reconciliation and webhook fan-out for ansahan model webhhaoturæ from charge development, and comminantatate backloans to the margon model.



Sessions

Persistent terminal sessions running on your agents.



Terminal



Grid



List

New Session



Reconnect

Search sessions...

All Statuses

All Types

All Vibes

All Agents

All Targets

Group by



3 selected

Stop

Restart

Terminate

Export CSV



NAME

TYPE

STATUS

AGENT

TARGET

VIBE

UPDATED

ACTIONS



checkout-web dev
\$ bun run dev

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



vitest run
\$ vitest run

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



vitest run
\$ vitest run

TMUX

Degraded

staging-api-02



staging-api-02

checkout-web

27 days ago



checkout-web dev
\$ bun run dev

TMUX

Warning

staging-api-02



staging-api-02

checkout-web

27 days ago



checkout-web
\$ bun run dev

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



checkout-web dev
\$ bun run dev

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



checkout-web dev
\$ bun run dev

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



vitest run
\$ bun run dev

TMUX

Running

staging-api-02



staging-api-02

checkout-web

27 days ago



Acme Platform

Navigation

Dashboard

Dashboard

Sessions

Trumiers

Group

Latabases

Intetrations

Schredule

>_ payments-api tests

ci-runner-03

tmux



Share link

Open in new tab



Running



priya@ci-runner-03:~/payments-api\$ bun run test

RUN v2.1.4 /srv/payments-api

✓ src/routes/charges.test.ts (18) 1243ms
✓ src/lib/idempotency.test.ts (9) 412ms
✓ src/webhooks/stripe.test.ts (12) 876ms
> src/refunds/refund.service.test.ts (7) 2 skipped

Test Files 6 passed (6)
Tests 54 passed | 2 skipped (56)
Duration 6.42s
All files 92.3 | 87.1 | 90.4

priya@ci-runner-03:~/payments-api\$

Session Info

Status	Running ●
Type	tmux
PID	48213
Agent	ci-runner-03
Vibe	payments-api
Working dir	/srv/payments-api
Started	14m ago
Auto start	Yes

Stop Command

Restart Session

Terminate Session

Settings



 Acme Platform ▾

 Overview

CONTROL CENTER

 Targets & Agents

 Vibes

 Sessions

 AI

CATALOG

 Catalogs

 Components

 Templates

AUTOMATION

 Actions

 Decks

 Scheduler

 Calendar

INFRASTRUCTURE

 Sandbox

 Tunnels

INSIGHTS

 Health

 Analytics

 Audit Log

 Settings

payments-api tests

Agentic engineering mission-

Session • Online

Hostname: payments-api

Data visalization



Terminal

Terminal

```
$ sesion ID: 80428-498b
$ host hostname: app.vi
Export stouut: 10%
Export Cashing new tempora
  at Recovery.app.vibeco
  at https://app.acmes.c
  at Besin.cmp (v0.0.20
  at Terminal
```



Share link

payments-api tests

People with access



Priya Nair

Owner



Marcus Chen

Interactive



Dana Alvarez

Viewer

Active links



Interactive



app.vibecontrols.com/share/7f3c9a2e...

3/25 uses



Create form

☐ Allow interactive control (recipient can request the keyboard)

Expires

4 hours



1 hour

4 hours

24 hours

No expiry

Max uses (optional)

unlimited

Create share link

Degraded/warning

• Offline

Idle



Idle ▾






Priya Nair has control

2 watching

View only

```
priya@dev-laptop-priya:~/checkout-web$ node --inspect server.js
Debugger listening on ws://127.0.0.1:9229
[nodemon] restarting due to changes...
✓ checkout service listening on :4000
[stack-trace] Error trace .../Users/vinoot/b/in/node/app/-checkout-toce:3:5110
    at response (13)
```



View Only

Collaborators (3)

HAS CONTROL

Priya Nair

Owner

VIEWING

Marcus Chen

Editor

Dana Alvarez

Viewer

Request Control

Session Info

Expires	3:40 PM
Your role	Viewer
Status	Connected



Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Session 7f3ac9e2...

← Back

Chat Logs Stats Config

Total Tokens

48,213

Input Tokens

31,904

Output Tokens

16,309

Prompts

12

Avg Latency

842ms

Tool-call timeline

prompt	Refactor the checkout retry logic	17:53:43
info	Spawned claude --permission-mode acceptEdits	17:53:34
info	Read checkout-web/src/retry.ts	17:53:35
info	Edit checkout-web/src/retry.ts	17:53:36
warn	Command needs approval: npm test — allowed by Priya Nair	17:53:37
response	Applied 1 edit, ran tests: 42 passed	17:53:37

checkout-web/src/retry.ts +18 -6

```
... @@ -2,8 +5.8 line mope exponential-back/src/retry.ts
15 15      retry.coekact = anStorsSuccess();
16 16
17 17      if(exponential-backoff.gettats() => {
18 +      va exponential-backoff = checkout.Data1.getirouss();
19 19      if (exponential-backoff != nnull) {
20 -      return checkout-Sessions.retry.index0,1, remuseSuccess();
20 21      }
21 22      };
22 23
```

Tools

Betite

☀️ claude-code

 Acme Platform 

 Overview

CONTROL CENTER

 Targets & Agents

 Vibes

 Sessions

 AI

CATALOG

 Catalogs

 Components

 Templates

AUTOMATION

 Actions

 Decks

 Scheduler

 Calendar

INFRASTRUCTURE

 Sandbox

 Tunnels

INSIGHTS

 Health

 Analytics

 Audit Log

 Settings

AI Builder

Describe a plugin, generate a complete scaffold, test it in a sandbox, and publish it to the catalog.

Describe your plugin

Name

Slack Deploy Notifier

Capability

Integration / webhook 

What should it do?

Post a Slack message to #deploys whenever a session on prod-web-01 fails, with the last 20 log lines.

 Generate scaffold

Refine with AI Assistant

Scaffold

 Test in sandbox

 Publish to catalog

slug slack-deploy-notifier

Online

Warning

Idle

manifest.json handler.ts route.ts ui.tsx

```
{
  "name": "slack-deploy-notifier",
  "displayName": "Slack Deploy Notifier",
  "version": "0.1.0",
  "capability": "integration",
  "entry": "handler.ts",
  "route": "/plugins/slack-deploy-notifier",
  "hooks":
}
```



Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

payments-api

Notes

Hiv

payments-a

Stripe webh

`charge.ref

180

120

80

40

0

Online

Degraded/w

Stripe webh

`charge.ref

30

20

10

0

online

Edit Note

Edit

Preview



Webhook retry investigation

Related Vibe (optional)

payments-api

Tags

incident ×

backend ×

postmortem ×



Add tags...

Summary

Stripe webhooks for `charge.refunded` were retried 5x and still 500ing.

Findings

- Retry backoff missing jitter
- `LEDGER\_QUEUE` consumer lag ~40s
- Duplicate ledger rows on replay

``code

```
2022-10-21 15:123:37:37+873 HTTP 500
```

``

☒ Pin this note☐ Workspace

Save Note

osvents-api

Stripe webhooks for
`charge.refunded` were ret...



Online

Offline/error

Duplicate ledger for
postmortem on replay.



Degraded



AI

- Overview
- Templates
- Contexts
- Prompts
- Instructions
- Sessions
- Queue
- Tasks
- Stats
- Playground
- Config

Compose Prompt

Generate from Template

Template-generator

Security review — payments-api

Category

REVIEW

security

backend

Tags

Auto-extracted {{variable}} inputs

service = payments-api

branch = release/2.4

Review payments-api for auth + input-validation issues on release/2.4 ...

-> Review .enanppments-api for auth + input-validation issues.
3 input on release/2.4

Target Session

infra-terraform apply (active)

Send to Session

Attach Contexts

Bind the project context into your project context.

☐	Name	Type
☒	payments-api README	MARKDOWN_DOC
☐	Architecture Overview	URL
☒	Coding Standards	PLAIN_TEXT
☐	infra-terraform	GIT_REPO

Dispatch History

payments-api: prompt for auth + input-validation issues on release/2.4 ... for auth + iinput-validation issues on payments-api	completed	Session: 7f3ac9e2...	13:53 ago
checkout-web: prompt for metent checkout-web for auth + iinput-validation issues on checkout-web	queued	Session: 7f3ac9e2...	13:07 ago
ml-pipeline: prompt tent culabrrn input-validation ... for pтетomination issues on ml-pipeline	completed	Session: 7f3ac9e2...	12:08 ago

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

AI-mode Contexts

type-filter

All Types

New Context

Select all visible

2 selected

Delete Selected (2)

payments-api README

MARKDOWN_DOC

```
# payments-api  
Handles card + wallet charges via Stripe...
```

payments

backend

Signed

infra-terraform

GIT_REPO

```
module "vpc" {  
    source = "../modules/vpc" ...
```

iac

Coding Standards

PLAIN_TEXT

```
- Prefer explicit imports  
- No any, no ts-ignore...
```

standards

Staging API base

URL

```
https://staging-api.acme.co/v1
```



Saved messages

Every AI Chat message you have bookmarked across all sessions.

7f3ac9e2-... infra-terraform apply [Open session](#)
dev-laptop-priya

Terraform apply checklist

msg:m_4821 · 2h ago



Unlabeled bookmark

msg:m_4821 · 2h ago



7f3ac9e2-... checkout-web tests [Open session](#)
dev-laptop-priya

Retry backoff formula

msg:m_4821 · 2h ago



ml-pipeline migration [Open session](#)
gpu-trainer-01

Root cause: staging-api-02 OOM

msg:m_4821 · 2h ago



Home



Project



AI



Settings

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Active context

AI workbench

Agent: prod-web-01

Plan

AI

Connected · 2 hook(s) configured

Manage hooks

Plannotator

Migration plan — ml-pipeline

active

mono provider: plannotator

- ☒ 1. Snapshot Postgres `ml\_features` before migration
Snapshot `ml\_features` before migration
- ☒ 2. Add nullable column `embedding\_version` to feature_store
Add nullable column embedding_version
- ☒ 3. Backfill 2.3M rows in batches of 5,000
Backfill 2.3M rows in batches of 5,000
- ☐ 4. Swap read path to v2 behind flag `ff.embeddings\_v2`
Swap read path to v2 behind flag ff_v2
- ☐ 5. Drop legacy column after 24h bake

Annotations

-  Marcus Chen — hold the backfill until off-peak (after 22:00 IST)
-  Priya Nair — add a rollback note for step 4

Approve



Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Catalogs

12 catalogs

+ Create Catalog



A catalog is your team's organised library of software components — services, APIs, jobs and the systems they belong to.

Search catalogs...

Visibility All Visibility

Showing 12 of 12 catalogs



Payments Platform

Public

Payments platform organize library of software components — services, APIs, jobs.

14 components · 6 vibes

domain

tier-1



Checkout & Web

Internal

Checkout compenanes library of software components — services, APIs, jobs.

9 · 4

tier-1



ML Platform

Private

ML Platform ampanized fer components and jobs and the systems they belong to.

11 · 3

pci



Infrastructure

Internal

Infrastructure enpanisted library of software components services.

22 components · vibes

domain

tier-1



Developer Experience

Public

Developer experience provides user development and poer developer experience.

7 · 5

domain

tier-1



Notifications

Private

Notifications connerts and notifications and notifications services.

5 · 2

pci



Mobile

Internal

Mobile componenti:to intern alanna software components.

8 components · vibes

domain

pci



Data & Analytics

Public

Data & analytics remenoier.t.antics, analytics, data extrand data & analytics.

13 components · vibes



Identity & Access

Private

Identity & access con:monents into, identity and Identity & access.

7 · 2

pci



Workspace Switcher
Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Components

38 components in your catalog

+ Create Component



Components are the individual building blocks of your software — each service, frontend, library or API — tracked with its owner, dependencies and lifecycle.

Search

Search components...

Type

All Types

Lifecycle

All Lifecycles

Showing 38 of 38 components

Component	Owner	Lifecycle	Tier	Version	Health
 app-Component Type · Hes!!	 Akran Smith	Active	Gold	1.0.220	90 
 app-Component Type · API	 Altran Smith	Experimental	Silver	1.0.13	92 
 app-Component Type · Browser	 Sarah Shmira	Deprecated	Bronze	1.1.1	85 
 app-Component Type · Search	 Saran Bmkin	Active	Gold	1.0.220	75 
 app Decks Type · Application	 Lura Miaviene	Active	Silver	1.0.1	75 
 app Component Type · Agent:	 Adian Bimith	Deprecated	Bronze	1.5.0.25	70 
 acme Component Type · Display	 Dorn Smith	Deprecated	Bronze	1.0.22	73 
 app Component					



Workspace Switcher
Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Back to Components

payments-api

Core payments + settlement service · owned by Priya Nair

Share



SERVICE

ACTIVE

Gold

Type
SERVICE

Lifecycle
ACTIVE

Version
2.3.1

Catalogs
3

Tags
pci tier-1 typescript

Overview

Catalogs 3


Scorecard

Docs

Dependencies 6

Template

Settings



 Acme Platform ▾

 Overview

CONTROL CENTER

 Targets & Agents

 Vibes

 Sessions

 AI

CATALOG

 Catalogs

 Components

 Templates

AUTOMATION

 Actions

 Decks

 Scheduler

 Calendar

INFRASTRUCTURE

 Sandbox

 Tunnels

INSIGHTS

 Health

 Analytics

 Audit Log

 Settings

Environment Topology

Current deployed version of every component across Development, Staging and Production.

Promote version →

+ Record deployment

 Info cleployed version of every component across to your network.

Component	Development	Staging	Production
payments-api SERVICE	 v2.4.0	 v2.3.1	 v2.3.1
checkout-web FRONTEND	 v1.9.0	 v1.9.0	 v1.8.2
notifications-svc SERVICE	 v0.7.3	 v0.7.3	— add
ml-pipeline SERVICE	 v3.2.0	 v3.1.5	 v3.1.0
infra-terraform INFRASTRUCTURE	 v5.0.1	 v5.0.1	— add
orders-api API	 v1.3.0	 v1.2.0	 v1.2.0
mobile-app MOBILE	 v4.1.0	— add	 v4.0.0
 In sync  Behind / drift  Prod stale			

Templates

8 ready-made blueprints — pick one to scaffold a new component instantly




Templates are reusable blueprints your team publishes from working components — pick one to scaffold a new component in seconds instead of wiring it up by hand.

 Search templates...

Category

 All Categories 

Showing 8 of 8 templates



Node API Microservice

 MICROSERVICE

 24 clones  5 vars

Node API Microservice is a most monorroce component withnode API.

node

express



React MFE


 FRONTEND

 17 clones  4 vars

React MFE is a pree-ready to scaffold a new component in react plate.

react

vite




Terraform Module

 INFRASTRUCTURE

 12 clones  6 vars

Terraform Module is a viit to scaffold a new component in terraform component.

terraform



Python Worker

 BACKEND

 9 clones  3 vars

Python Worker is a ntet to scaffold and a new component in complete.

terraform



Go gRPC Service

 MICROSERVICE

 8 clones  4 vars

Go gRPC Service is a clast-rost to scaffold a new and component instantly.




Kotlin Spring Boot API

 BACKEND

 11 clones  7 vars

Kotlin Spring Boot API is a rotet to scaffold a new and cortamentation.



Rust WebAssembly Module

 FRONTEND

 6 clones  2 vars

Rust WebAssembly Module for a WebAssembly module functions.



Docker Compose Stack

 INFRASTRUCTURE

 14 clones  9 vars

Docker Compose Stack is a unique, building compose, docker Compose others.

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Back to Templates

Node API Microservice

MICROSERVICE · 24 clones

Source-repository: [acme-eng/node-api-](#)

Use Template

Share

Delete

Template Variables

serviceName (required, string)

port (number)

database (enum)

nodeVersion (enum)

enableAuth (boolean)

File Tree

```
node-api-microservice/
├── Dockerfile
├── .github/workflows/ci.yml
├── src/index.ts
├── src/routes/
├── vibedeck.json
├── package.json
└── README.md
```

Use Template: Node API Microservice

Basic Info > Configure Variables > GitHub Repo > 4 Review

Review the details before creating your component

Name = orders-api
Description = Orders + fulfilment service

Variables

serviceName = orders-api
port = 8080
database = postgresql
nodeVersion = 18-alpine
enableAuth = true

Repository

Destination = GitHub > acme-eng / orders-api (Public)

Back

Create Component

Acme Platform ▾

Overview

CONTROL CENTER

🎯 Targets & Agents

🔊 Vibes

👤 Sessions

⚙️ AI

CATALOG

Catalogs

📦 Components

📄 Templates

AUTOMATION

🔧 Actions

☰ Decks

🕒 Scheduler

📅 Calendar

INFRASTRUCTURE

🏠 Sandbox

👉 Tunnels

INSIGHTS

❤️ Health

📊 Analytics

📄 Audit Log

⚙️ Settings



Plugins

Browse and install plugins to extend your VibeControls agents.

Q Search by name, description, or package...

All

AI Core

AI Providers

Session Providers

Tunnel

VCS

API Playground

GitOps Providers

Security Providers

Tools

38 plugins

Most installed ▾

Claude Code

PROVIDER

@vibecontrols/vibe-plugin-ai-claude

Anthropic Claude Code agent provider.

1,280 installs · 12 agents

Install

Details

Core Agent AI

PLUGIN

@vibecontrols/vibe-plugin-core-ai

Essential AI capabilities for all agents.

3,512 installs · 25 agents

Install

Details

Acme Platform Meta

META

@acme/vibe-meta-platform

Meta-plugin defining core configuration and constraints for Acme Platform agents.

20 installs · 1 agent

Install

Details

GitHub Integration

PLUGIN

@vibecontrols/vibe-plugin-git-github

Seamless integration with GitHub for VCS operations.

2,105 installs · 18 agents

Install

Details

Docker Container Engine

PLUGIN

@vibecontrols/vibe-plugin-docker

Manage and deploy Docker containers from within VibeControls.

1,750 installs · 9 agents

Install

Details

Slack Notifications

PLUGIN

@vibecontrols/vibe-plugin-notifications-slack

Send agent activity notifications to Slack channels.

890 installs · 15 agents

Install

Details



- Acme Platform ▾
- Overview
- CONTROL CENTER
- Targets & Agents
- Vibes
- Sessions
- AI
- CATALOG
- Catalogs
- Components
- Templates
- Plugins
- AUTOMATION
- Actions
- Decks
- Scheduler
- Calendar
- INFRASTRUCTURE
- Sandbox
- Tunnels
- INSIGHTS
- Health
- Analytics
- Audit Log
- Settings

Acme Platform / Plugins / Cloudflare Tunnel

Cloudflare Tunnel

@vibecontrols/vibe-plugin-tunnel-cloudflare PROVIDER v3.4.0 (latest) ▾

Cloudflare quick-tunnel and named-tunnel provider for the Tunnel Orchestrator meta.

Roll out to fleet

Copy install command

Overview

Cloudflare to quick-tunnel and named-tunnel provider with a named-tunnel tunnels with a name for the tunnel's connection and name ingresses for the tunnel's connection with quick tunnels.

Capabilities

- Quick tunnels (trycloudflare.com)
- Named tunnels with DNS routing
- Per-hostname ingress rules
- Zero-downtime reconnect

Prerequisites

- ! `cloudflared` ≥ 2024.8

Auto-install (sudo)
- ✓ Tunnel Orchestrator — @vibecontrols/vibe-plugin-tunnel

Installed
- ✓ Outbound 443 to Cloudflare edge

Versions

- 3.4.0 — latest — Jun 28, 2026 [Changelog](#)
- 3.3.2 — Jun 12
- 3.2.0 — May 30

Fleet install matrix

All agents ▾

Q Search

Agent	Status	Version	
prod-be-01	Healthy	3.4.0	
staging-app-03	Outdated	3.3.2	Upgrade
edge-pop-tokyo	Error	Failed	Logs
dev-laptop-jane	Idle	Not installed	Install

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Cloudflare Tunnel

IDetail Plot for cloud

Overview

Data

Agent visualization



Data visualization



data



ation



Roll out to fleet

Install Cloudflare Tunnel v3.4.0 across selected agents. Prerequisites are checked and installed with your approval.

Version

v3.4.0 (latest)

Select agents

Select all

Staging



Agent

Owner

Status



staging-api-02



online

cloudflared present · ready



staging-api-03



online

needs cloudflared (sudo)



gpu-trainer-01



degraded

needs Tunnel Orchestrator + cl



prod-web-01



disabled

Roll out to fleet

Actions

+ Create Action

Automate tasks — run commands, scripts, or trigger webhooks on your agents.

Refresh

Actions are reusable one-click automations to trigger webhooks our your agents.

Search actions...

Type

Trigger

☐ Select all visible 3 selected

Execute Selected (3)

Duplicate Selected (3)

Delete Selected (3)

Restart payments-api

Command · Manual

deploy #prod #oncall

128 runs 6m ago

Run DB migrations

Command · On Demand

42 runs 2h ago

Tail error log

Script · Manual

310 runs just now

Alert on-call

Webhook · Event

POST hooks.slack.com/...

57 runs 1d ago

Rollback prod

Command · Manual

Webhook On Demand

Confirm is required 9 runs · 3d ago

Nightly backup

Script · Scheduled

Event Scheduled

215 runs 8h ago

Vibe Deck

Your digital command board — execute commands or trigger webhooks with one click

👁️ Preview

✎ Edit

🔗 Share deck

🔗 Public link



📊 Prod Ops ★

Staging

ML Pipeline

Incident Response

+ New deck



Restart API

restart-payments-api

OPS



Run Migrations

db-migrate

OPS



Rollback prod ⚠️

OPS



Clear cache

redis-flush

ALERTS



ALERTS

Alert on-call

slack-webhook



Tail logs



Restart worker



Scale up GPU



Prod Ops — On-call

Safe, pre-approved operations for the on-call rotation.

Can execute ▶

Restart
staging API



Clear



Clear cache

Rerun health
check

0bc719ba02c16



Tail error log



Alert on-call

Restart
worker



vuidhan502



Calendar

Schedule and manage tasks across your agents



Schedule task manage to man agents in pending' tasks across your agents.

Today



July 2026

Month

Week

Day

Agenda

+ Schedule Task

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1 db-backup · gpu-trainer-01	2 db-backup · prod-web-01 db-backup · staging-api-02 log-rotate · ci-runner-03	3 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-run +2 more	4
5	5 db-backup · prod-web-01 db-backup · staging-api-02	7 db-backup · prod-web-01 db-backup · staging-api-02	8 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-runner-03	9 cert-renew · infra-terraform cert-renew · infra-terraform log-rotate · ci-runner-03	10 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-run +2 more	11
12	13 db-backup · prod-web-01 db-backup · staging-api-02	14 db-backup · prod-web-01 db-backup · staging-api-02 log-rotate · ci-run +2 more	15 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-runner-03	16 cert-renew · infra-terraform cert-renew · infra-terraform log-rotate · ci-runner-03	17 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-run +2 more	18
19	20 db-backup · prod-web-01 db-backup · staging-api-02	21 db-backup · prod-web-01 db-backup · staging-api-02 log-rotate · ci-run +2 more	22 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-runner-03	23 cert-renew · infra-terraform cert-renew · infra-terraform	24 db-backup · prod-web-01 nightly-vacuum · ml-pipeline log-rotate · ci-run +2 more	25
26	27 db-backup · prod-web-01 db-backup · staging-api-02 log-rotate · ci-run +2 more	28 db-backup · prod-web-01 db-backup · staging-api-02	29 db-backup · prod-web-01 db-backup · staging-api-02 nightly-vacuum · ml-pipeline	30 db-backup · gpu-trainer-01 cert-renew · infra-terraform log-rotate · ci-runner-03	31	2

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

>_

Acme Platform

- Overview
- CONTROL CENTER
- Targets & Agents
- Vibes
- Sessions
- AI
- CATALOG
- Catalogs
- Components
- Templates
- AUTOMATION
- Actions
- Decks
- Scheduler
- Calendar
- INFRASTRUCTURE
- Sandbox
- Tunnels
- INSIGHTS
- Health
- Analytics
- Audit Log
- Settings

Automation / Calendar / Nightly DB Backup

<

Nightly DB Backup — prod-web-01

COMPLETED

▶ Execute Now

Schedule Type

CRON

0 2 * * *

Timezone

Asia/Kolkata

Next Execution

Jul 6, 2026, 2:00 AM

Last Execution

Jul 5, 2026, 2:00 AM

Executor

INTERNAL_API

Action: act_9f3c...backup

Priority

HIGH

Executions

Total: 214

COMPLETED	Jul 5, 2026, 2:00:04 AM Completed: 2:00:09 AM	0	View logs
COMPLETED	Jul 5, 2026, 2:00:04 AM Completed: 2:00:09 AM	0	View logs
FAILED	Jul 3, 2026, 2:00:04 AM Completed: 2:00:09 AM	1	View logs
COMPLETED	Jul 5, 2026, 2:00:04 AM Completed: 2:00:09 AM	0	View logs
COMPLETED	Jul 5, 2026, 2:00:04 AM Completed: 2:00:09 AM	0	View logs
COMPLETED	Jul 5, 2026, 2:00:04 AM Completed: 2:00:09 AM	0	View logs

Logs

Nightly DB Backup — prod-web-01 (...)

stdout

stdout
pg_dump payments_db ...
pg_dump payments_db ... done
...
uploaded s3://acme-backups/2026-07-05.sql.gz (412 MB)
exit code 0
exit code 0

Duration 5.1s

H1 Tunnels

Expose local services on *.vibetunnels.com and custom domains.

New tunnel

Search tunnels by name or slug		Provider	Status
		All providers	All statuses
checkout-web preview		ACTIVE	VibeTunnels
https://checkout-demo.vibetunnels.com HTTP:3000 on 127.0.0.1 Private		1537.2 GB	Open Stop
analytics-api prod		OFFLINE	Ngrok
https://analytics-api.xyz.com HTTPS:8080 on 192.168.1.10 Public		1.2 TB	Open Start
payment-service sandbox		DEGRADED	VibeTunnels
https://payment-sandbox.vibetunnels.com GRPC:9090 on 10.0.0.5 Internal		89.4 MB	Open Stop
dev-graphql		ACTIVE	Cloudflare
https://graphql.dev.cloud HTTP:4000 on localhost Public		345.1 GB	Open Stop
user-profile staging		ACTIVE	VibeTunnels
https://user-profile.staging.vibetunnels.com HTTP:5000 on 127.0.0.1 Private		22.8 GB	Open Stop
temp-asset-host		IDLE	VibeTunnels
https://asset-host.temp.vibetunnels.com HTTP:8081 on localhost Public		5.6 GB	Open Start



Acme Platform

Infrastructure / Tunnels / New tunnel

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Create tunnel

Expose a local service through a managed tunnel.



Provider



Protocol & target



Hostname



Policies



Review

Review

Provider	VIBETUNNELS
Name	checkout-web preview
Agent	agt_dev-laptop-priya
Protocol	HTTP
Target	127.0.0.1:3000
Hostname	checkout-demo.vibetunnels.com
Visibility	Workspace · linked to checkout-web vibe
Basic auth	no

Tags

frontend

preview



Created as a draft — start it to mint the public URL
https://checkout-demo.vibetunnels.com

Back

Create tunnel

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

<

ml-pipeline ci-check

RUNNING

Refresh

...

sbx_7f3a91c2

http://sbx-7f3a91c2.sandbox.local:8080

27m 14s remaining

Extend

Extend TTL

Stop

Delete

Resources

Online/Success

CPU

500m / 2

Memory

512Mi / 2Gi

Containers

1

Lifecycle

Degraded/warning

TTL

1h 0m

Expires

27m remaining

Created

Jul 5, 2026, 2:14 PM

Details

Offline

Idle

Template

Python 3.12

Mode

Job

Created By

Marcus Chen

>_

Script Runner

Run an AI-generated script in this isolated sandbox and review the output before promoting it to the real target.

Interpreter

python

▼

smoke-test

import pytest, sys

sys.exit(pytest.main(["-q", "tests/"]))



Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnels

INSIGHTS

Health

Analytics

Audit Log

Settings

Health

Last updated: 3:42:18 PM · Auto-refresh every 30s

Auto-refresh

Refresh



Purpose banner is help you ensonmentioral :utuve open and premilint applications.



System degraded

5/6 agents healthy, 3 sessions running, 4 vibes active, 8 target connections

Agents 5/6

1 degraded

Sessions 3/4

running

Vibes 4/6

active

Targets 5/6

8 connections

Agent Health (6)



prod-web-01

prod-web-01.acme.internal · linux/arm64 · v1.8.2



Last heartbeat: 42s ago · Uptime: 6d 4h

healthy



staging-api-02

hostname · platform · version



healthy



gpu-trainer-01

hostname · platform · version



degraded



Error

Error [inverpes exrorutor! Failed hendied connectiont ar'connent }
at Lastheartbeat:42s ago . Uptime: 6d 4hk
at Objectorc(omponent.interintor/hostnameis.completions/opergatot.js1:52)



Analytics

One-line purpose banner for ourvuous application.

Primary button

Last 7 days

Day

Refresh



128ms

Overview

Agents

Sessions

Sandbox

Vibes

Actions

VibeDeck

AI Events

Audit

Docs

Overview

Export CSV

Print

Agents

6

5 active

Targets

4

8 connections

Sessions

218

3 running

Vibes

27

19 with agent

Actions

41

94.2% success

Actions

41

94.2% success



Executions

3,912

740ms avg



AI Events

8,164

61 buttons

Webhooks

12

2 active

AI Events

8,164

Vibe Decks

9

61 buttons

Audit Logs

1,284

Docs

5

128 pages



Audit

Comprehensive audit trail of all VibeControls operations.

Export

Purpose banner — inactive audit trail of all VibeControls operations.

Audit logs are kept for 90 days. Older entries are automatically purged. Next cleanup: Jul 6, 2026, 2:00 AM.

Total Logs

1,284

Successful

1,196

Errors / Failures

88

Retention

90 days

Search audit logs...

Action

Resource

Status

Agent

Vibe

Commands only

0 selected

Delete Selected

☐	TIME	ACTION	RESOURCE	NAME	ACTOR	STATUS	ACTIONS
☐	Jul 5, 03:41:12	CREATE	Session	payments-api — terminal	user	SUCCESS	... >
☐	Jul 5, 03:39:50	EXECUTE >_	Agent	gpu-trainer-01	app	SUCCESS	... >
☐	Jul 5, 03:38:07	DELETE	Vibe	mobile-app	user	DENIED	... >
☐	Jul 5, 03:36:20	CREATE	Session	frontend-prod — console	user	SUCCESS	... >
☐	Jul 5, 03:32:01	IDLE	Agent	analytics-worker-3	agent	WARNING	... >

>_

payments-api

Gold

Share

+ Add Metric

Overview Sessions Notes Scorecard

Overall Score

82/100

Test Coverage

86 / 80 %

Passing

SLO Compliance

99.2 / 99.5 %

Warning

Incident Count

3 / 2

Reduce open Sev-2s before release.

Security Score

91 / 85

Passing

CI/CD Health

95 / 90 %

Passing

Service Availability

99.98 / 99.99

Warning

Open PRs

5 / 10

Idle

Compare across the workspace

Compare

Service	Score
payments-api	82%
identity-svc	99%
user-profile-db	90%
user-profile-db	90%
user-profile-db	70%

Alert History (Last 30 Days)

2021-01 - 2on 2021

Export

08:33.22 17:17:36	CRITICAL	Incident #415 opened: API latency > 500ms for 5m	ID: ebna30a52ap
08:33.23 17:17:36	RESOLVED	Incident #415 opened: API latency > 500ms for 5m	ID: #9a330a52ed
08:33.23 18:17:36	RESOLVED	Incident #415 opened: API latency > 500ms for 5m	ID: #9a330a52ed
06:33:23 17:16:36	WARNING	Incident #415 opened: API latency > 500ms for 5m	ID: ebns30a52ap
06:33:23 14:16:16	WARNING	Incident #415 opened: API latency > 500ms for 5m	ID: ebns30a52ap

Logs

Gateway-proxied log streaming from your agents.

Select action

Logs provided for troubleshooting, debugging, and auditing your processes, in near real-time, giving full control over your agent activities.

Agent: gpu-trainer-01
linux/amd64 · gpu-trainer-01.acme.internal

gpu-trainer-01.acme.internal

Live

INFO+ ^

Filter logs...

342 entries

03:41:07.812	INFO	[session]	started tmux session sess_9f21 for vibe ml-pipeline
03:41:07.998	DEBUG	[tunnel]	heartbeat ack rtt=38ms
03:41:08.244	INFO	[agent]	claude-code run completed exit=0 tokens=1842
03:41:08.511	WARN	[agent]	potential GPU bottleneck detected in mla streams
03:41:09.112	INFO	[tunnel]	tunnel connected to agent gateway
03:41:09.556	DEBUG	[agent]	data pipeline step completed
03:41:10.001	INFO	[agent]	data pipeline step completed
03:41:10.001	ERROR	[agent]	model loading failed (OOM)
03:41:10.123	WARN	[agent]	restarting mla streams process
03:41:10.511	DEBUG	[session]	session heartbeats received
03:41:11.234	INFO	[agent]	claude-code starting new prompt processing
03:41:11.888	INFO	[agent]	agent status updated to 'training_paused'
03:41:12.456	DEBUG	[tunnel]	network latency stable at 45ms
03:41:13.111	INFO	[session]	session id updated to sess_9f22
03:41:13.678	INFO	[agent]	mla streams processing complete

A Acme Platform ▾

📄 Overview

CONTROL CENTER

🎯 Targets & Agents

📶 Vibes

📁 Sessions

⚙️ AI

CATALOG

📁 Catalogs

🧩 Components

📄 Templates

AUTOMATION

🔗 Actions

📅 Decks

🕒 Scheduler

📅 Calendar

INFRASTRUCTURE

📦 Sandbox

🔌 Tunnels

INSIGHTS

💚 Health

📈 Analytics

📄 Audit Log

⚙️ Settings

Settings

Configure VibeControls preferences and workspace defaults

💾 Save

⋮ More

🔧 Tune how VibeControls behaves and set sensible defaults for the whole workspace — default agents, session behaviour and notification preferences.

🔔 **Notifications** >
Alert preferences

📁 **Workspace** >
Agent, session, vibe defaults

< > **Code Editor** >
Default IDE + per-Vibe overrides

⚙️ **Advanced** >
Logging, telemetry, secrets

Workspace

General Defaults

Defaults applied when you create a new session or vibe

Default Agent

claude-code · gpu-trainer-01 (Active) ▾

Default Session Type

Tmux ▾

Default Vibe Type

Project ▾

Default Vibe Type

Project ▾

Auto-start Sessions



Auto Git Sync



Agent tuning

Heartbeat, capacity, reconnect — most users keep the defaults

Heartbeat Interval (seconds)

30 ⬆️ ⬆️

Max Sessions Per Agent

10 ⬆️ ⬆️

Auto-reconnect



Default Environment Variables

KEY=value

Webhooks

4 of 5 webhooks active

+ New Webhook

Refresh webhooks

Webhooks let outside systems notify VibeControls when something happens and kick off work automatically.

Search webhooks...

Status All Statuses

With Errors (1)

☐



Slack #deploys

Active

<https://hooks.slack.com/services/T024/B071/xY9...>

session:error

target:created

action:failed

Test

Toggle

Trash

1,234 deliveries • Last success: 2 minutes ago

☐



GitHub Workflow Dispatch

Degraded

<https://api.github.com/repos/AcmeCo/vibe-deploy/actions/workflows/main.yml/dispatches>

deck:launched

template:deployed

Test

Toggle

Trash

878 deliveries • Last failure: 15 minutes ago (HTTP 401)

☐



Internal Automation Trigger

Inactive

<https://automation.acme.co/webhook/vibe-internal-trigger-v2>

target:destroyed

session:finished

Test

Toggle

Trash

0 deliveries • Never delivered

>_

VibeControls

Workspace

Acme Platform

Overview

CONTROL CENTER

Targets & Agents

Vibes

Sessions

AI

CATALOG

Catalogs

Components

Templates

AUTOMATION

Actions

Decks

Scheduler

Calendar

INFRASTRUCTURE

Sandbox

Tunnols

INSIGHTS

Health

Analytics

Audit Log

Settings

Dashboard > Vibe Platform > Settings > Webhooks

Search

Organization

Settings

Webhooks

Name

GitHub Deploy Trigger

https://api.github.com

Name

GitHub Deploy Trigger

https://api.github.com

Name

Deploy Trigger

https://api.github.com

Name

Vibe:TCinttor

https://apl.github.com

Name

custom:started

https://api.github.com

New Webhook

Name

GitHub Deploy Trigger

URL

https://api.github.com/repos/acme-eng/payments-api/dispatcher

Secret

.....

Optional signing secret

Events

☐ agent:created

☐ vibe:created

☐ agent:online

☐ vibe:updated

☒ agent:offline

☒ vibe:completed

☐ vibe:created

☐ vibe:error

☐ session:created

☐ session:created

deploy:started

custom:event-name

+

Add custom events using namespace:event format (e.g., deploy:started)

Signing Key

Used to sign payloads with HMAC-SHA256. Header: X-Webhook-Signature

Agent Scope

Only fire for events from selected agents. Leave empty for all agents.

☒ claude-code · prod-web-01

☐ gpt-5-codex · staging-api-02

☐ gemini-cli · ci-runner-03

Cancel

Create Webhook

Create Webhook

Status

Online/success

Degraded/warning

Degraded/warning

Offline

Idie

Online/success

Offline

Idie

Online/success

Offline

Idie

Vibe:Trigger



priya@dev-laptop-priya: ~/payments-api



```
$ vibecontrols auth login
Authenticating with VibeControls...
Open this URL: https://auth.burdenoff.com/device
Enter code: BXTQ-4K7D
Waiting for authorization... (polling every 5s)
✓ Authenticated as priya.nair@acme-eng.com
Tokens saved to ~/.config/vibecontrols-cli/auth.json
```

```
$ vibecontrols workspace set acme-eng
✓ Workspace set to Acme Platform (acme-eng)
$ vibecontrols sessions list --output table
```

SESSION ID	VIBE	TARGET	TYPE	STATUS	UPTIME
ssn_7f3a91	payments-api	prod-web-01	tmux	Running	4h 12m
ssn_2c8b04	checkout-web	staging-api-02	tmux	Running	1h 47m
ssn_9e1d55	ml-pipeline	gpu-trainer-01	terminal	Running	26m
ssn_4a6f20	infra-terraform	ci-runner-03	tmux	Completed	—
ssn_b0c7e8	notifications-svc	dev-laptop-priya	terminal	Failed	—

```
5 sessions · 3 running · 1 completed · 1 failed
```

```
$ █
```



←

→

edit code

VIBECONTROLS

AGENTS

claude-code · online

gpt-5-codex · online

aider · degraded

SESSIONS

My Sessions

payments-api · prod-web-01 · Running

ml-pipeline · gpu-trainer-01 · Running

Shared with me

Marcus Chen · checkout-web · view-or

VIBES

TARGETS

TUNNELS

NOTES

SANDBOXES

AI

TS refund.ts

payments-api > src > TS refund.ts

1

2

3

4

5

6

7

8

9

10

11

function calculateRefund(order, policy) {

const policy?ss = policy {

const orderorder = nastore, policy);

if (parted(order= policy)

} ronst(t) {

contures.camount('amount') ;

} calculateRefund();

calculateRefund(order. policy):

return res

}

Send to AI

Save Selection as AI Context

Copy LLM Context URL

Cut

Copy

AI Response

Provider: claude-code · Context attached: 3 (payments-api) · 1,248 tokens

"function calculateRefund(order, policy) {

const policy?s = policy {

const orderorder = nomstore, policy);

if (parted(order = policy)

} } ronst() {

contures.captured('amount') {

calculateRefund(order, enss, policy);

}

return test;

}

This is a vixéal grouounded AI model , calculateRefund applies the order's refund calculateRefund applies the order's refund policy and clamps to the captured amount.

Insert

Copy

\$(rocket) Vibe: payments-api

acme-eng

github.com/acme-eng/payments-api/pull/482

Search or jump to...

Pull requestsIssuesMarketplaceExplore

Add idempotency keys to refund flow #482

Open

Priya Nair commented bread::in #acme-eng/payments-api

Conversation5

Commits2

Files changed1

Priya Nair commented 23 days ago

Add idempotency keys to refund flow and ns made sesient.

Priya Nair and colleagues it

Commits annorled 6 files changed

Priya Nair commented 23 days ago

This has changed the idempency' keys't or refund flow.

Priya Nair commented 23 days ago

```
21
22 +   scheute idempotencykeys to refund;
23 +
24 +   // Dbane no key.for acme-eng/payments-api/pull42iwi;
25 +   if (ranbereefund.getIdcomponcy.keys) {
26 +       return idempeatencyin
```

Priya Nair commented 23 days ago

VibeControls · payments-api · 2 sessions

Comments

No comme

Commits

No commb

Discuision

No connex

Authors

Priya Nair i

enomentec

Quick-ater

prod-web

staging-e

VibeControls

Acme Platform

Agents6

Sessions5

Vibes8

Agent status

prod-web-01 · online · 4s ago

staging-api-02 · online · 11s ago

gpu-trainer-01 · degraded · 38s ago

dev-laptop-priya · offline · 6m ago

Share localhost

localhost:3000

Share

https://amber-otter-42.trycloudflare.com

live

Copy LLM URL

+ Start Session

Open Dashboard

LLM Context URL copied to clipboard



Set up my **payments-api** project on **prod-web-01** and show me what's already running.



vibecontrols_agents_list

Status



Input { "status": "connected" }

Result 6 agents — prod-web-01 online, staging-api-02 online, gpu-trainer-01 **degraded**, ci-runner-03 online, ..

You have 6 connected agents. payments-api already has 2 running sessions on prod-web-01; I started a fresh tmux session for you.



vibecontrols_sessions_list

Status

Amber



Input { "vibe": "payments-api" }

Result	ssn_7f3a91	tmux	Running	4h12m
	ssn_2c8b04	tmux	Running	1h47m



vibecontrols_sessions_start

Status



Input { "vibe": "payments-api", "target": "prod-web-01", "type": "tmux" }

Result { "sessionId": "ssn_e42d10", "status": "Running" } **Running**

Every call ran as you (Priya Nair) and is audited in the Acme Platform workspace.



vibecontrols-mcp · connected · 610 tools

Message Claude...





Overview

Control Center

Targets & Agents

Vibes

Sessions

AI

Catalog

Catalogs

Components

Templates

Automation

Actions

Decks

Scheduler

Calendar

Infrastructure

Sandbox

Tunnels

Insights

Analytics

Audit Log

Health

Settings

AI workbench

claude · refactor-auth

codex · migration-review

gemini · docs-pass

+ New session

Sessions

refactor-auth
claude · CLI · runningmigration-review
codex · SDK · idledocs-pass
gemini · SDK · runningnightly-tests
opencode · CLI · exited

Refactor the token refresh path and keep the retry semantics



Assistant

```
1  async function refreshToken(session) {  
2    const backoff = retryPolicy.next();  
3 -  return fetchToken(session.id);  
4 +  return withRetry(() => fetchToken(session.id), backoff);  
5  }
```



Message the agent...



Model: claude-sonnet

Mode: CLI

MCP: 3 servers

Autonomy: Accept edits

Context: vibe payments-api

Attach

Voice

Session detail

Agent — mbp-vignesh

Profile — default

Started — 14:02

Messages — 18

Working dir — ~/code/payments-api

Rename

Export

Terminate

Overview

Control Center

Targets & Agents

Vibes

Sessions

AI

Catalog

Catalogs

Components

Templates

Automation

Actions

Decks

Scheduler

Calendar

Infrastructure

Sandbox

Tunnels

Insights

Analytics

Audit Log

Health

Settings

AI Keys

Stored on the agent — build-box-01

Templates

Contexts

Prompts

Tasks

Stats

Playground

AI Keys

Bridle

Anthropic Claude

Used by the Claude Code harness on this agent.

ANTHROPIC_API_KEY

.....

Saved

ANTHROPIC_AUTH_TOKEN

Save

OpenAI Codex

Used by the Codex CLI harness.

OPENAI_API_KEY

.....

Saved

Save

Google Gemini

Used by the Gemini CLI harness.

GEMINI_API_KEY

.....

GOOGLE_API_KEY

.....

Save

OpenAI-Compatible

Any endpoint that speaks the OpenAI API.

OPENAI_COMPAT_API_KEY

.....

OPENAI_COMPAT_BASE_URL

https://api.groq.com/openai/v1

Save

OpenRouter

Routes to many hosted models with one key.

OPENROUTER_API_KEY

.....

Save

Ollama

Point at a local or self-hosted model server.

OLLAMA_API_KEY

.....

OLLAMA_HOST

http://gpu-box.internal:11434

Save

Keys are written to this agent config. Harness sessions are not metered in AI credits.



build-box-01 Healthy

Linux · agent 2026.7.12 · profile default

Overview Profiles Plugins Security Sessions Connection Logs Vibes Notes

Remote task permissions

This agent denies command, script and file tasks that did not come from localhost.

Allow remote shell & script tasks ON Enabled

Allow remote file write & delete OFF Denied

Last changed by vignesh · 2 days ago

SSH configuration scan

Run scan

Host	HostName	Risk
staging	10.0.4.12	Low
legacy-db	db-old.internal	Review

Session autonomy

☐ Plan — read-only, plan first, no edits or commands

☒ Accept edits — auto-apply file edits, ask before risky commands

☐ Full auto — run commands and edit files without asking

Requires confirmation



Overview



Control Center

Targets & Agents



Vibes



Sessions



AI



Catalog

Catalogs



Components



Templates

Automation

Actions

Decks

Scheduler

Calendar

Infrastructure

Sandbox

Tunnels

Insights

Analytics

Audit Log

Health

Settings

Dashboard

Agents

12

Sessions

5

Tunnels

3

AI tasks today

41

Charts

Chart

AI Assistant

General

API calls

Contest: Agent build-box-01

AI credits

16,420 of 50,000 remaining this month

Checked before every message.

Why is build-box-01 showing degraded?


The agent missed its last three heartbeats. Two likely causes:

- CPU has been above 90 percent for 40 minutes.
- The gateway credential on profile default expired today.

Last turn charged: 1,240 credits · claude-sonnet

Ask about this page...

Export



Overview

Control Center

Targets & Agents

Vibes

Sessions

AI

Catalog

Catalogs

Components

Templates

Automation

Actions

Decks

Scheduler

Calendar

Infrastructure

Sandbox

Tunnels

Insights

Analytics

Audit Log

Health

Settings

AI tools

Plan / AI

Overview Templates Contexts Prompts Instructions Sessions Queue Tasks Stats Playground Config

Search contexts

All types

New context

Name	Type	Vibe	Visibility	Tags	Updated
payments-api architecture	MARKDOWN_DOC	payments-api	Shared with vibe	architecture, onboarding	2h ago
reproduce refund 409	COMMAND	payments-api	Private	debugging	yesterday
refund webhook payload	API_CALL	payments-api	Shared with vibe	webhooks	3 days ago
house coding standards	PLAIN_TEXT	—	Shared with vibe	Shared with vibe	last week

Insert into chat

Debug a failing webhook

DEBUGGING

used 34x

Insert

Review this diff for security

REVIEW

used 21x

Insert

Write the runbook step

RUNBOOK

used 8x

Insert

Variable

endpoint

/v1/refunds



Overview

Control Center

Targets & Agents

Vibes

Sessions

AI

Catalog

Catalogs

Components

Templates

Automation

Actions

Decks

Scheduler

Calendar

Infrastructure

Sandbox

Tunnels

Insights

Analytics

Audit Log

Health

Settings

AI tools

Plan

AI

Proposals awaiting review

Concept — proposal engine on the roadmap

Recover degraded agent build-box-01

Missed three heartbeats in a row.

Agent health

Awaiting approval

Reclaim 4 idle sandboxes past TTL

Idle for more than 12 hours.

Resource reclaim

Awaiting approval

Reconcile 7 drifted catalog components

Catalog no longer matches what agents report.

Catalog drift

Awaiting approval

Triage 3 new security findings

No owner assigned yet.

Findings

Awaiting approval

Recover degraded agent build-box-01

1. Re-push gateway credentials to profile default
2. Restart the agent daemon
3. Verify heartbeat for 5 minutes
4. Re-enable the nightly session

Reviewer note: confirm the maintenance window first

Estimated credits 320 · model claude-sonnet

Approve plan

Deny

Nothing runs until this plan is approved.